




# L S Starrett BEARING COMPANY



6213 Bearing 2D drawings and 3D CAD models

## SKF 6213 Bearing

Bearing No. 6213

Size	120x65x23 mm
Bore Diameter	120 mm
Outer Diameter	65 mm
Width	23 mm
d	65 mm
D	120 mm
B	23 mm
d <sub>1</sub>	83.3 mm
D <sub>2</sub>	105.8 mm
r <sub>1,2</sub> - min.	1.5 mm
d <sub>a</sub> - min.	74 mm
D <sub>a</sub> - max.	111 mm
r <sub>a</sub> - max.	1.5 mm
Basic dynamic load rating - C	58.5 kN
Basic static load rating - C <sub>0</sub>	40.5 kN
Fatigue load limit - P <sub>u</sub>	1.7 kN
Reference speed	12000 r/min
Limiting speed	7500 r/min
Calculation factor - k <sub>r</sub>	0.025
Calculation factor - f <sub>0</sub>	14.7
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.029



## L S Starrett BEARING COMPANY

EAN	7316577094117
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 120MM Outside Diameter; 23MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	6213
Weight / LBS	2.27
Bore	2.559 Inch   65 Millimeter
Outside Diameter	4.724 Inch   120 Millimeter
Outer Race Width	0.906 Inch   23 Millimeter
d <sub>1</sub>	83.3 mm
D <sub>2</sub>	105.8 mm
r <sub>1,2</sub> min.	1.5 mm
d <sub>a</sub> min.	74 mm



## L S Starrett BEARING COMPANY

$D_a$ max.	111 mm
$r_a$ max.	1.5 mm
Basic dynamic load rating C	58.5 kN
Basic static load rating $C_0$	40.5 kN
Fatigue load limit $P_u$	1.73 kN
Calculation factor $k_r$	0.025
Calculation factor $f_0$	14.7
Mass bearing	1.02 kg